


PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



Accessories



DOWNLOADS

[Datasheet](#)
[Installation manual](#)

AILIN LINE TRIMLESS

Description

MOUNTING	Ceiling recessed - determined for continuous installation
LIGHT SOURCE	LED
OPTICAL SYSTEM	Opal diffuser (OPD)
LIGHT DISTRIBUTION	Direct
WIRING	Electronic control gear FIX / DALI (ECG / EDA) Through wiring (F, T version) Emergency unit variant (3H, ECG)
MATERIALS	Diffuser: PMMA Holder: sheet steel Housing: extruded aluminium
SURFACE FINISH	Housing: elox
ACCESSORIES	Connecting piece (L/T/X)
AMBIENT OPERATING TEMPERATURE	From -20 °C to +35 °C (from +5°C with EM unit)

- AREAS OF APPLICATION**
- ARCHITECTURE AND MEDIA
 - EDUCATION
 - HOSPITALITY
 - HOUSE AND FLAT
 - RETAIL AND PRESENTATION



--- 902032



--- 902032



--- 902033



--- 902 033



List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
AILIN LINE TRIMLESS M F OPAL LED 2950lm/830 1x37W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M T OPAL LED 2950lm/830 1x37W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M L OPAL LED 2950lm/830 1x37W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M F OPAL LED 2950lm/830 1x37W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M T OPAL LED 2950lm/830 1x37W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M L OPAL LED 2950lm/830 1x37W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M F OPAL LED 2950lm/830 1x37W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M T OPAL LED 2950lm/830 1x37W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M L OPAL LED 2950lm/830 1x37W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M F OPAL LED 3050lm/840 1x37W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M T OPAL LED 3050lm/840 1x37W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M L OPAL LED 3050lm/840 1x37W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT /

		CURVE /
AILIN LINE TRIMLESS M F OPAL LED 3050lm/840 1x37W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M T OPAL LED 3050lm/840 1x37W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M L OPAL LED 3050lm/840 1x37W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M F OPAL LED 3050lm/840 1x37W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M T OPAL LED 3050lm/840 1x37W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS M L OPAL LED 3050lm/840 1x37W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L F OPAL LED 3650lm/830 1x47W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L T OPAL LED 3650lm/830 1x47W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L L OPAL LED 3650lm/830 1x47W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L F OPAL LED 3650lm/830 1x47W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L T OPAL LED 3650lm/830 1x47W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L L OPAL LED 3650lm/830 1x47W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L F OPAL LED 3650lm/830 1x47W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT /

		CURVE /
AILIN LINE TRIMLESS L T OPAL LED 3650lm/830 1x47W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L L OPAL LED 3650lm/830 1x47W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L F OPAL LED 3800lm/840 1x47W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L T OPAL LED 3800lm/840 1x47W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L L OPAL LED 3800lm/840 1x47W, FIX, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L F OPAL LED 3800lm/840 1x47W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L T OPAL LED 3800lm/840 1x47W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L L OPAL LED 3800lm/840 1x47W, DALI, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L F OPAL LED 3800lm/840 1x47W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L T OPAL LED 3800lm/840 1x47W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /
AILIN LINE TRIMLESS L L OPAL LED 3800lm/840 1x47W, FIX + EM 3H, Elox	Stop date	RFA / 3DS / IES / LDT / CURVE /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.