



PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



Accessories



DOWNLOADS

[Datasheet](#)

[Installation manual](#)

ELYS TRACK FOOD

Description

MOUNTING	Suspended or ceiling surfaced lighting track system - suitable for ONETRACK (TRS)
LIGHT SOURCE	LED
OPTICAL SYSTEM	Facet reflector (FRE)
LIGHT DISTRIBUTION	Direct
WIRING	Electronic control gear FIX / DALI (ECG / EDA)
MATERIALS	Cover: transparent hardened glass Housing: die-cast aluminium Reflector: facet anodised aluminium
SURFACE FINISH	Housing: white RAL 9003 (W03)
ACCESSORIES	Exchangeable reflectors Various types of connections and suspension equipment (ONETRACK)
PROTECTION CLASS	I
SERVICE LIFETIME (Ta=25°C)	50,000 hours / L80 / B50
AMBIENT OPERATING TEMPERATURE	From -25 °C to +35 °C

AREAS OF APPLICATION RETAIL AND PRESENTATION



List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
ELYS TRACK FOOD 23° LED 3350lm/FH 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 3350lm/FH 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 3350lm/FH 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 3000lm/FT 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 3000lm/FT 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 3000lm/FT 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 2000lm/MT 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 2000lm/MT 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 2000lm/MT 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 2100lm/MT+ 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 2100lm/MT+ 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 2100lm/MT+ 1x34W, FIX, RAL 9003		RFA / 3DS / IES / LDT /

	CURVE /
ELYS TRACK FOOD 23° LED 3150lm/GD 1x34W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 3150lm/GD 1x34W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 3150lm/GD 1x34W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 2100lm/GD+ 1x34W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 2100lm/GD+ 1x34W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 2100lm/GD+ 1x34W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 3350lm/FH 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 3000lm/FT 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 2000lm/MT 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 2100lm/MT+ 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 3150lm/GD 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 3350lm/FH 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 3000lm/FT 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT /

ELYS TRACK FOOD 34° LED 2000lm/MT 1x34W, DALI, RAL 9003	CURVE / RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 2100lm/MT+ 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 3150lm/GD 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 34° LED 2100lm/GD+ 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 3350lm/FH 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 3000lm/FT 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 2000lm/MT 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 2100lm/MT+ 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 3150lm/GD 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 53° LED 2100lm/GD+ 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
ELYS TRACK FOOD 23° LED 2100lm/GD+ 1x34W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.