



PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



DOWNLOADS

[Datasheet](#)

[Installation manual](#)

MILINE UNO SURFACED

Description

MOUNTING	Ceiling surfaced (SFD)
LIGHT SOURCE	LED
OPTICAL SYSTEM	Lenses + white louvre (LWL) Lenses + black louvre (LBL)
LIGHT DISTRIBUTION	Direct
WIRING	Electronic control gear FIX / DALI (ECG / EDA) Emergency unit variant (3H, ECG)
MATERIALS	Housing: sheet steel Louvre: polycarbonate
SURFACE FINISH	Housing: white RAL 9003 (W03)
SERVICE LIFETIME (Ta=25°C)	100,000 hours / L80 / B10
AMBIENT OPERATING TEMPERATURE	From -25 °C to +35 °C (from +5°C with EM unit)

AREAS OF APPLICATION

- EDUCATION
- HEALTH AND CARE
- OFFICE



Accessories

List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
MILINE UNO SURFACED M LWL LED 3300lm/830 1x23W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 3300lm/830 1x23W, DALI, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 3300lm/830 1x23W, FIX + EM 3H, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 3450lm/840 1x23W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 3450lm/840 1x23W, DALI, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 3450lm/840 1x23W, FIX + EM 3H, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 4350lm/830 1x31W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 4350lm/830 1x31W, DALI, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 4350lm/830 1x31W, FIX + EM 3H, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 4500lm/840 1x31W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 4500lm/840 1x31W, DALI, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LWL LED 4500lm/840 1x31W, FIX + EM 3H, RAL 9003		RFA / 3DS / IES / LDT /

	CURVE /
MILINE UNO SURFACED L LWL LED 4100lm/830 1x27W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 4100lm/830 1x27W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 4100lm/830 1x27W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 4300lm/840 1x27W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 4300lm/840 1x27W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 4300lm/840 1x27W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 5500lm/830 1x38W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 5500lm/830 1x38W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 5500lm/830 1x38W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 5800lm/840 1x38W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 5800lm/840 1x38W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED L LWL LED 5800lm/840 1x38W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
MILINE UNO SURFACED M LBL LED 3100lm/830 1x23W, FIX, RAL 9003	RFA / 3DS / IES / LDT /

MILINE UNO SURFACED M LBL LED 3100lm/830 1x23W, DALI, RAL 9003	CURVE / RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 3100lm/830 1x23W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 3250lm/840 1x23W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 3250lm/840 1x23W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 3250lm/840 1x23W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 4100lm/830 1x31W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 4100lm/830 1x31W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 4100lm/830 1x31W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 4300lm/840 1x31W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 4300lm/840 1x31W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED M LBL LED 4300lm/840 1x31W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 3900lm/830 1x27W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 3900lm/830 1x27W, DALI, RAL 9003	RFA / 3DS / IES / LDT /

MILINE UNO SURFACED L LBL LED 3900lm/830 1x27W, FIX + EM 3H, RAL 9003	CURVE / RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 4050lm/840 1x27W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 4050lm/840 1x27W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 4050lm/840 1x27W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 5200lm/830 1x38W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 5200lm/830 1x38W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 5200lm/830 1x38W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 5450lm/840 1x38W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 5450lm/840 1x38W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
MILINE UNO SURFACED L LBL LED 5450lm/840 1x38W, FIX + EM 3H, RAL 9003	RFA / 3DS / IES / LDT / CURVE /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.