


### PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



### DOWNLOADS

[Datasheet](#)

[Installation manual](#)

# MILINE DUO LINE RECESSED

### Description

<b>MOUNTING</b>	Ceiling recessed - determined for continuous installation (RCD)
<b>LIGHT SOURCE</b>	LED
<b>OPTICAL SYSTEM</b>	Lenses + white louvre (LWL)
<b>LIGHT DISTRIBUTION</b>	Direct
<b>WIRING</b>	Electronic control gear FIX / DALI (ECG / EDA) Through wiring (F, T version) Emergency unit variant (3H, ECG)
<b>MATERIALS</b>	Housing: sheet steel Louvre: polycarbonate
<b>SURFACE FINISH</b>	Housing: white RAL 9003 (W03)
<b>SERVICE LIFETIME (Ta=25°C)</b>	100,000 hours / L80 / B10
<b>AMBIENT OPERATING TEMPERATURE</b>	From -25 °C to +35 °C (from +5°C with EM unit)

### AREAS OF APPLICATION

EDUCATION

OFFICE



## Accessories

---

## List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
MILINE DUO LINE RECESSED M F LED 5250lm/830 1x33W, FIX, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 5250lm/830 1x33W, DALI, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 5250lm/830 1x33W, FIX + EM 3H, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 5250lm/830 1x33W, FIX, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 5250lm/830 1x33W, DALI, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 5250lm/830 1x33W, FIX + EM 3H, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 5250lm/830 1x33W, FIX, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 5250lm/830 1x33W, DALI, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 5500lm/840 1x33W, FIX, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 5500lm/840 1x33W, DALI, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 5500lm/840 1x33W, FIX + EM 3H, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 5500lm/840 1x33W, FIX, RAL 9003		<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> /

	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 5500lm/840 1x33W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 5500lm/840 1x33W, FIX + EM 3H, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 5500lm/840 1x33W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 5500lm/840 1x33W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 6350lm/830 1x42W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 6350lm/830 1x42W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 6350lm/830 1x42W, FIX + EM 3H, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 6350lm/830 1x42W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 6350lm/830 1x42W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 6350lm/830 1x42W, FIX + EM 3H, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 6350lm/830 1x42W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 6350lm/830 1x42W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 6650lm/840 1x42W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /

	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 6650lm/840 1x42W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M F LED 6650lm/840 1x42W, FIX + EM 3H, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 6650lm/840 1x42W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 6650lm/840 1x42W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M T LED 6650lm/840 1x42W, FIX + EM 3H, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 6650lm/840 1x42W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED M L LED 6650lm/840 1x42W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 6550lm/830 1x41W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 6550lm/830 1x41W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 6550lm/830 1x41W, FIX + EM 3H, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 6550lm/830 1x41W, FIX, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 6550lm/830 1x41W, DALI, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /
	<a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 6550lm/830 1x41W, FIX + EM 3H, RAL 9003	RFA / 3DS / <a href="#">IES</a> / <a href="#">LDT</a> /

MILINE DUO LINE RECESSED L L LED 6550lm/830 1x41W, FIX, RAL 9003	<a href="#">CURVE</a> / <a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L L LED 6550lm/830 1x41W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 6850lm/840 1x41W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 6850lm/840 1x41W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 6850lm/840 1x41W, FIX + EM 3H, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 6850lm/840 1x41W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 6850lm/840 1x41W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 6850lm/840 1x41W, FIX + EM 3H, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L L LED 6850lm/840 1x41W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L L LED 6850lm/840 1x41W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 7950lm/830 1x52W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 7950lm/830 1x52W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 7950lm/830 1x52W, FIX + EM 3H, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> /

MILINE DUO LINE RECESSED L T LED 7950lm/830 1x52W, FIX, RAL 9003	<a href="#">CURVE</a> / <a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 7950lm/830 1x52W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 7950lm/830 1x52W, FIX + EM 3H, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L L LED 7950lm/830 1x52W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L L LED 7950lm/830 1x52W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 8300lm/840 1x52W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 8300lm/840 1x52W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L F LED 8300lm/840 1x52W, FIX + EM 3H, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 8300lm/840 1x52W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 8300lm/840 1x52W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L T LED 8300lm/840 1x52W, FIX + EM 3H, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L L LED 8300lm/840 1x52W, FIX, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
MILINE DUO LINE RECESSED L L LED 8300lm/840 1x52W, DALI, RAL 9003	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.